

# MENNO® TER forte

## Algaecide - ALGICIDAL

### Disinfectant - BACTERICIDAL, FUNGICIDAL, LEVUROCIDAL and VIRUCIDAL (enveloped viruses)

Spraying or foaming for use PT2 (product type 2) on surfaces such as plastic, glass, metal, concrete etc.

#### For horticultural areas by professional users

- Indoor (in greenhouses, foil tunnels etc.)
- Outdoor on protected areas (ribbon fabric, ground cover etc.)

#### Application rate

- On non-porous surfaces 0.2 L/m<sup>2</sup>
- On porous surfaces 0.4 L/m<sup>2</sup>

#### Application limits

- Indoor max. 2x per year up to 3% with 0.4 L/m<sup>2</sup> = 240 L/ha
- Outdoor max. 3x per year up to 0.5% with 0.4 L/m<sup>2</sup> = 60 L/ha

#### Effectiveness / Target organism

**Algicidal** 0,5% - 2 days or 1% - 1 day

| Temperature                             | 10°C                              | 20°C                            |
|---|-----------------------------------|---------------------------------|
| <b>Bactericidal</b>                     | 0,75% - 30 min.<br>0,5% - 60 min. | 1,5% - 5 min.<br>0,5% - 30 min. |
| <b>Fungicidal</b>                       | -                                 | 3% - 360 min.                   |
| <b>Levurocidal</b>                      | 0,1% - 30 min.                    | 1,5% - 5 min.<br>0,5% - 30 min. |
| <b>Virucidal</b><br>(enveloped viruses) | 2% - 5 min.                       | 1,5% - 5 min.                   |

Disinfection on thoroughly cleaned surfaces

**Note:** Harmful to plants!  
Do not spray directly onto plants.

**Use algaecides / disinfectants  
with care.**

**Always read the label and  
product information before use.**